


1" X 2" PLUG VALVE SPECIFICATIONS




Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Manual	Low	Standard	1A14483	10.56 / 268.2	2.41 / 61.2	7.28 / 184.9	0.88 / 22.4	44 / 20	4L11769	4L20947	4L14203
Hammer Union	Manual	Low	Standard (Acid Service)	1A25038	10.56 / 268.2	2.41 / 61.2	6.29 / 159.8	0.88 / 22.4	41 / 18.6	4L16800	4L20949	4L16783
Hammer Union	Manual	Low	Standard (Torture Style)	1A19748	10.56 / 268.2	2.41 / 61.2	7.28 / 184.9	0.38 / 9.7	45 / 20.4	4L20096	4L20947	4L20094
Safety Iron®	Manual	Low	Standard	2A27975	10.07 / 255.8	2.41 / 61.2	7.28 / 184.9	0.88 / 22.4	32 / 14.5	4L11769	4L20947	4L14203
Hammer Union	Manual	Low	H2S	1A19777	10.56 / 268.2	2.41 / 61.2	7.28 / 184.9	0.88 / 22.4	44 / 20	4L20230	4L20949	4L16783
Hammer Union	Hydraulic	Low	Standard	1A14483HB	10.56 / 268.2	2.41 / 61.2	14.47 / 367.5	0.88 / 22.4	86 / 39	4L11769	4L20947	4L14203
Hammer Union	Hydraulic	Low	H2S	1A19777HB	10.56 / 268.2	2.41 / 61.2	14.47 / 367.5	0.88 / 22.4	86 / 39	4L20230	4L20949	4L16783
Hammer Union	Air	Low	Standard	1A14483A	10.56 / 268.2	2.41 / 61.2	16.8 / 426.7	0.88 / 22.4	64 / 29	4L11769	4L20947	4L14203
Hammer Union	No Actuator	Low	Standard	1A20391	10.56 / 268.2	2.41 / 61.2	6.29 / 159.8	0.88 / 22.4	41 / 18.6	4L11769	4L20947	4L14203

KIT CONTENTS:

- Parts Kit: plug, seals, side segments, seal segments, grease fitting, backup ring
- Seal Kit: seals, backup rings, grease fitting, seal segment
- Elastomer Kit: seals, backup ring

2" PLUG VALVE (STANDARD) SPECIFICATIONS




Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Manual	Low	Standard	1A14487	13.88 / 352.6	3.44 / 87.4	8.88 / 225.6	1.75 / 44.5	99 / 44.9	4L11982	4L20948	4L13694
Hammer Union	Manual	Low	Std. (Acid Service)	1A20211	13.88 / 352.6	3.44 / 87.4	8.88 / 225.6	1.75 / 44.5	99 / 44.9	4L16826	4L20950	4L16824
Safety Iron®	Manual	Low	Standard	2A27973	12.25 / 317.5	2.63 / 66.8	8.19 / 208	1.75 / 44.5	79 / 35.8	4L11982	4L20948	4L13694
Hammer Union	Manual	Low	H2S	1A14492	13.88 / 352.6	3.44 / 87.4	8.88 / 225.6	1.75 / 44.5	99 / 44.9	4L20574	4L20950	4L20575
Hammer Union	Hydraulic	Low	Standard	1A14487HB	13.88 / 352.6	3.44 / 87.4	16.4 / 416.6	1.75 / 44.5	142 / 64.4	4L11982	4L20948	4L13694
Hammer Union	Air	Low	Standard	1A14487A	13.88 / 352.6	3.44 / 87.4	19.38 / 492.3	1.75 / 44.5	126 / 57.2	4L11982	4L20948	4L13694
Hammer Union	No Actuator	Low	Standard	1A24017	13.88 / 352.6	3.44 / 87.4	7.89 / 200.4	1.75 / 44.5	93 / 42.2	4L11982	4L20948	4L13694

KIT CONTENTS:

- Parts Kit: plug, seals, side segments, seal segments, grease fitting, backup ring
- Seal Kit: seals, backup rings, grease fitting, seal segment
- Elastomer Kit: seals, backup ring




2" LIGHT WEIGHT PLUG VALVE SPECIFICATIONS



Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Manual	Low	Standard	2A29633	10.25 / 260.4	2.60 / 66	8.08 / 205.2	1.75 / 44.5	51 / 23.1	2A30161	2A30164	2A30162
Hammer Union	Manual	Low	H2S	2A36869	10.25 / 260.4	2.60 / 66	8.08 / 205.2	1.75 / 44.5	51 / 23.1	2A37146	2A37181	2A37180



KIT CONTENTS:

- Parts Kit: plug, seals, side segments, seal segments, grease fitting, backup ring
- Seal Kit: seals, backup rings, grease fitting, seal segment
- Elastomer Kit: seals, backup ring





3" 1502 PLUG VALVE SPECIFICATIONS

Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Manual	Low	Standard	2A26611	17.00 / 431.8	4.32 / 109.7	11.83 / 300.5	2.75 / 69.8	229 / 103.9	2A39042	2A30678	2A39044
Safety Iron®	Manual	Low	Standard	2A27943	16.00 / 406.4	4.32 / 109.7	11.82 / 300.2	2.75 / 69.8	215 / 97.5	2A39042	2A30678	2A39044
Hammer Union	Gear	Low	Standard	1A14496	17.00 / 431.8	4.32 / 109.7	19.07 / 484.4	2.75 / 69.8	333 / 151	2A39042	2A30678	2A39044
Hammer Union	Gear - Low Profile	Low	Standard	2A30297	16.00 / 406.4	4.32 / 109.7	16.32 / 414.5	2.75 / 69.8	351 / 159.2	2A39042	2A30678	2A39044
Safety Iron®	Gear	Low	Standard	2A27942	16.00 / 406.4	4.32 / 109.7	19.07 / 484.4	2.75 / 69.8	320 / 145.2	2A39042	2A30678	2A39044
Hammer Union	Gear	Low	H2S	1A19585	17.00 / 431.8	4.32 / 109.7	19.17 / 486.9	2.75 / 69.8	333 / 151	2A39043	2A33788	2A39045
Hammer Union	Hydraulic	Low	Standard	1A14496H	17.00 / 431.8	4.32 / 109.7	24.32 / 617.7	2.75 / 69.8	312 / 141.5	2A39042	2A30678	2A39044
Hammer Union	Hydraulic	Low	H2S	1A19585H	17.00 / 431.8	4.32 / 109.7	24.32 / 617.7	2.75 / 69.8	312 / 141.5	2A39043	2A33788	2A39045
Hammer Union	Air	Low	Standard	1A14496A	17.00 / 431.8	4.32 / 109.7	22.14 / 562.4	2.75 / 69.8	257 / 116.6	2A39042	2A30678	2A39044
Hammer Union	No Actuator	Low	Standard	1A18962	17.00 / 431.8	4.32 / 109.7	10.32 / 262.1	2.75 / 69.8	200 / 90.7	2A39042	2A30678	2A39044
Hammer Union	No Actuator	Low	H2S	1A20933	17.00 / 431.8	4.32 / 109.7	10.32 / 262.1	2.75 / 69.8	200 / 90.7	2A39043	2A33788	2A39045



4" 1002 PLUG VALVE SPECIFICATIONS

Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Gear	Low	Standard	2A25182	20.50 / 520.7	5.76 / 146.3	22.71 / 576.8	3.75 / 95.3	495 / 224.5	2A26353	2A26361	2A26358
Safety Iron®	Gear	Low	Standard	2A27872	18.25 / 463.6	5.76 / 146.3	22.50 / 571.5	3.75 / 95.3	474 / 215	2A26353	2A26361	2A26358
Hammer Union	Hydraulic	Low	Standard	2A25182HB	20.50 / 520.7	5.76 / 146.3	27.24 / 691.9	3.75 / 95.3	471 / 213.6	2A26353	2A26361	2A26358
Hammer Union	No Actuator	Low	Standard	2A25154	20.50 / 520.7	5.76 / 146.3	15.31 / 388.9	3.75 / 95.3	341 / 154.7	2A26353	2A26361	2A26358



4" 1502 PLUG VALVE SPECIFICATIONS

Connection Type	Actuation	Temp	Service Type	Part Number	Dim. A (in / mm)	Dim. B (in / mm)	Dim. C (in / mm)	Inner Dia. (in / mm)	Weight (lb / kg)	Parts Kit	Elastomer Kit	Seal Kit
Hammer Union	Gear	Low	Standard	2A25168	22.13 / 562.1	5.76 / 146.3	20.70 / 525.8	3.75 / 95.3	564 / 255.8	2A26354	2A26362	2A26359
Safety Iron®	Gear	Low	Standard	2A28135	19.25 / 489	5.76 / 146.3	22.50 / 571.5	3.75 / 95.3	538 / 244	2A26354	2A26362	2A26359
Hammer Union	Hydraulic	Low	Standard	2A25168HB	22.13 / 562.1	5.76 / 146.3	27.24 / 691.9	3.75 / 95.3	540 / 244.9	2A26354	2A26362	2A26359
Hammer Union	No Actuator	Low	Standard	2A25167	22.13 / 562.1	5.76 / 146.3	15.30 / 388.6	3.75 / 95.3	410 / 186	2A26354	2A26362	2A26359

KIT CONTENTS:

- Parts Kit: plug, seals, side segments, seal segments, grease fitting, backup ring
- Seal Kit: seals, backup rings, grease fitting, seal segment
- Elastomer Kit: seals, backup ring